Notice of Allowability	Application No.	Applicant(s)
	10/805,808	CHALFANT, JEFFREY R.
	Examiner	Art Unit
	Phi D. A	3633
	FIII D. A	3033
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>telephone interview 12/7/07</u> .		
2. The allowed claim(s) is/are <u>1-5,7,11-17,19,21,28,29,31,32,35,39-41,43 and 44.</u>		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	. •	
1		
Attachment(s) 1. Notice of References Cited (PTO-892)	5 🖂 Notice of Inf	ormal Patent Application
Notice of Praffperson's Patent Drawing Review (PTO-948)		immary (PTO-413),
		Mail Date Amendment/Comment
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🔀 Examiner's A	Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's	Statement of Reasons for Allowance
-	9.	e.

10/805,808 Art Unit: 3633

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Murtaugh on 12/7/07.

The application has been amended as follows:

Claim 1 line 6, replace [and providing a seal] with ----- in areas uncovered by the mounting bracket to provide a seal in direct contact with the mounting surface and -----

Claim 19 line 6, replace [being a metal structure] with --- including a metal chain link fence ----

Cancel claims 20, 22-23, 25, 36, 42.

Claim 43 line 6, replace [and providing a seal] with --- in areas uncovered by the mounting bracket to provide a seal in direct contact with the mounting surface and ----

Add new claim 44 as followed:

44 (new) The system of claim 43, wherein said first foam layer comprises a flexible cover and wherein said second foam layer comprises a flexible cover.

Allowable Subject Matter

2. Claims 1-5, 7, 11-17, 19, 21, 28-29, 31-32, 35, 39-41, 43-44 are allowed.

Application/Control Number:

10/805,808

Art Unit: 3633

3. The following is an examiner's statement of reasons for allowance: prior art does not provide sufficient motivations to modify the references to show the first foam layer extending from the rear portion of the backing structure in areas uncovered by the mounting bracket to provide a seal in direct contact with the mounting surface and between the mounting surface and the dock pad in combination with other claimed limitations as set forth in claims 1 and 43, and prior art does not provide sufficient motivation to modify the seal system to show a theft deterrence component including a metal chain link fence in combination with other claimed limitations as set forth in claim 19.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phi D A whose telephone number is 571-272-6864. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Chilcot can be reached on 571-272-6777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:

10/805,808 Art Unit: 3633 Page 4

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Phi Dieu Tran A

12/8/07

BRIAN E. GLESSNER SUPERVISORY PATENT EXAMINER





